

PRIVACY NOTE: The personal information provided in this application may be inspected by a person under various legislation. The legislation provides that a person who has inspected a document may also request, and be provided with, a copy of that document.

Civic Centre
62 Flushcombe Road
Blacktown NSW 2148

DX 8117 Blacktown
Telephone: (02) 9839-6000
Facsimile: (02) 9831-1961

OFFICE USE ONLY

Application No.....

Receipt No.....

Date.....

Property No.

COMPLYING DEVELOPMENT CERTIFICATE APPLICATION

(Section 85A of the Environmental Planning and Assessment Act 1979)

Details must be printed in ink. Tick as applicable.

The State Environmental Planning Policy (Exempt and Complying Development) 2008 (NSW Housing Code) is a comprehensive document that provides for the comparatively fast approval of routine building development in residential and rural zones.

The NSW Housing Code provisions commenced on 27 February 2009 and, until 27 February 2010, an applicant must select whether the application is assessed under the NSW Housing Code OR the existing Blacktown Local Environmental Plan 1988 (BLEP) (refer to Note 2.1 of this form).

1.1 Applicant's Selection

I request that this application be assessed under the provisions of: **NSW Housing Code** **OR** **BLEP**

I wish to appoint Council as the Principal Certifying Authority for this Complying Development project (refer Note 4.2 of this form)

I wish to apply for an Occupation Certificate, upon completion of the project (refer Note 4.1 of this form)

1.2 Description of Property

| Address | Street No. | Street | Suburb |
|---------|------------|--------|--------|
| | | | |

| Lot or Portion, Section and Deposited/Strata Plan Number | Lot/Portion | Section | DP/SP |
|--|-------------|---------|-------|
| | | | |

1.3 Description of Proposed Development (refer to the BLEP or NSW Housing Code provisions at Note 2.1 of this form).

| |
|--|
| |
|--|

1.4 Cost of Development Contract price or estimated cost (including GST) of proposed development (including labour & materials)

| |
|----|
| \$ |
|----|

1.5 Building Construction Details

| External Walls | Roof | Floor | Floor Area m ² |
|----------------|------|-------|---------------------------|
| | | | |

1.6 Applicant (If owner, consent and authorisation is given as per Note 1.7 of this form)**Builder** (If known)

| Surname | Given Names |
|-----------------------|-------------|
| | |
| Postal Address | |
| | |
| Daytime Phone and Fax | |
| | |
| Signature | Date |
| | |

| Surname | Given Names |
|--|-------------|
| | |
| Postal Address | |
| | |
| Daytime Phone and Fax | |
| | |
| Builder Licence/Owner-Builder/Permit No. | |
| | |

1.7 Consent of Owner – if applicant is not the owner (all owners must sign) If insufficient space, attach a separate consent

I/we own the subject land and consent to: [1] this application, and [2] Council's Officers entering the premises during normal office hours for the purpose of conducting inspections relative to this application. NOTE: If the owner is a Company or Owners Corporation, its Common Seal must be stamped over the signature/s, otherwise the Managing Director must sign and clearly indicate the A.C.N.

| Name | Surname | Given Names | | |
|----------------------------------|-----------|-------------|--------|-----------|
| | | | | |
| Postal Address | Street No | Street | Suburb | Post Code |
| | | | | |
| Phone & Fax during office hours) | Work | Home | Fax | |
| | | | | |
| Signature of owner/s | | | | |
| | | | | |

1.8 Please indicate whether you wish the Certificate and any approved document/s to be: posted **or collected**

APPLICATION SUBMISSION REQUIREMENTS/CHECKLIST

| | | Applicant's Checklist: <input checked="" type="checkbox"/> | |
|---|--|--|--------------------------|
| | | No. of documents required | |
| <p>2.1 Complying Development Standards</p> <p>The BLEP development standards are indicated at www.blacktown.nsw.gov.au Phone 9839 6000 for more information. The attached complying development BLEP checklist is required to be used to check compliance with the BLEP development standards.</p> <p>The SEPP NSW Housing Code development standards are indicated at www.planning.nsw.gov.au/housingcode.asp Phone 1300 305 695 for more information.</p> <p>The applicant should be satisfied that the plans and specifications lodged with the application comply with each of the relevant development standards.</p> | | - | <input type="checkbox"/> |
| <p>2.2 "BASIX Certificate"</p> <p>The Building Sustainability Index (BASIX) is a web-based planning tool designed to assess the potential performance of residential buildings against a range of sustainability indices.</p> <p>A BASIX Certificate identifies the sustainability features required to be incorporated in the building design. These features may include recycled water, roofwater tanks, AAA rated shower heads and taps, native landscaping, heat pump or solar water heaters, gas space heaters, roof eaves/awnings, wall/ceiling insulation and the like.</p> <p>The BASIX provisions applied from:</p> <p>1 July 2004 - new single dwellings and dual occupancies</p> <p>1 October 2005 - all new residential buildings (including flats), and</p> <p>1 July 2007 - all additions or alterations to any residential building, where the estimated cost of the work exceeds \$50,000.</p> <p>The applicant is required to submit the BASIX Certificate with the application.</p> <p>The plans and specifications must also identify the BASIX commitments.</p> <p>Applicants can only generate the BASIX Certificate on the NSW Department of Planning (DoP) interactive website: www.basix.nsw.gov.au. Additional information can be obtained from DoP on Phone: 1300 305 695.</p> | | 1 | <input type="checkbox"/> |
| <p>2.3 "Building Plan" - means a plan* drawn to a suitable scale and indicating/consisting of:</p> <p>(a) Site plan (showing the position of the proposed building in relation to site boundaries and any other building erected on the site with the North point indicated and any easement over the land),</p> <p>(b) A plan of each floor section,</p> <p>(c) A plan of each building elevation,</p> <p>(d) The level of the lowest floor in relation to adjacent ground level,</p> <p>(e) The height, design, construction (ie, sectional elevation)</p> <p>(f) Provision for fire safety and fire resistance (if any),</p> <p>(g) Details of soil erosion control methods, where necessary, in accordance with Council's Soil Erosion and Sediment Control Policy, and</p> <p>(h) Except for Class 1a and Class 10 buildings, assessment of the need to restrict public access to the building site (eg: security fencing).</p> | | 2 | <input type="checkbox"/> |
| <p>2.4 "Building Specifications" - means a document describing in detail the construction methods and materials for the proposed building or alteration, the method of drainage, sewerage and water supply and shall state whether the proposed materials are new or second hand.</p> | | 2 | <input type="checkbox"/> |
| <p>2.5 "Waste Management Plan" - means a document/statement (sample forms are available from Council) which indicates:-</p> <p>(a) The type, volume and/or weight of all waste expected to be generated by the construction or demolition works,</p> <p>(b) How any waste is to be stored and /or treated on the project site,</p> <p>(c) How any residual waste is to be dispersed, and</p> <p>(d) Ongoing waste management on the project site.</p> | | 1 | <input type="checkbox"/> |
| <p>2.6 Roads Act 1993 Application Council consent must be obtained where the proposed work will require the opening of a public road, including the footway, for any purpose (e.g. construct a driveway, road kerb layback or stormwater/roofwater drainage line to the road kerb). Where any work is proposed to be undertaken within the road reserve, the applicant must lodge the attached Roads Act 1993 Application form and plan* indicating those matters described on the form.</p> | | 1 | <input type="checkbox"/> |

* "Plan" - means a drawing or pictorial representation of the proposal drawn to a suitable scale, dimensioned, and to a satisfactory drafting standard in printed or in electronic format. The plan should include a title block indicating the name of the owner, the property description and the peculiar identification of the plan.

4.1 Occupation Certificate

An Occupation Certificate (OC) authorises the occupation and use of a new building.

4.2 Principal Certifying Authority

The important role of a Principal Certifying Authority (PCA) is to issue an OC for new building work.

The PCA is appointed under s109E of the Environmental Planning and Assessment Act 1979. The Act requires that a person who proposes to carry out development (the applicant) involving building work must appoint a PCA prior to commencement of that work. The applicant may appoint Council or a private accredited certifier as the PCA. The role of the PCA and the conditions/terms that would apply if Council is appointed as the PCA are explained below. The applicant is required to appoint a PCA and, where the PCA is not Council, notify Council of that appointment at least 2 days before work commences.

Should the applicant wish to appoint Council as the PCA at the time of the initial application please tick the appropriate box at Section 1.1 of this form (the appointment only becomes effective upon the Complying Development Certificate being issued). Otherwise, Council may be appointed by separate application at least 2 days before work is scheduled to commence.

General

The appointment of Council as the PCA imposes various obligations upon both the applicant and Council. These are outlined below and form part of any agreement between the applicant and Council. Council does not charge a fee for this appointment, however, the fee charged for an OC will vary depending on whether Council has, as the PCA, progressively inspected construction work and issued all or the majority of the relevant Compliance Certificates or Inspection Reports. Payment of the OC fee is not required until the lodgement of the relevant application.

A PCA must not be replaced by another accredited certifier without approval.

Council offers a variety of Inspection Packages which provide for the issue of Compliance Certificates or Inspection Reports for the required construction inspections.

Council's role and obligation as the PCA will be to:

- (a) Conduct a proper inspection of each critical stage during the construction and issue a Compliance Certificate or Inspection Report to the applicant when such construction complies with the Complying Development Certificate (CDC).
- (b) Promptly advise the applicant after any relevant inspection of any impediment to the issue of a Compliance Certificate or satisfactory Inspection Report
- (c) Issue to the applicant an OC when the relevant application has been lodged with Council and when all the required works have been completed or satisfied.

The applicant's obligation is to:

- (a) Ensure the relevant work at each critical stage of construction required to be inspected is completed in accordance with the plans, specifications or other approved details attached to the CDC.
- (b) Ensure that Council is given advice and sufficient notice to enable a proper inspection of the construction work, including (but not limited to) the following applicable critical stages of construction relating to building development:
 - (i) soil erosion and sedimentation controls, site works and site set out - before development works start;
 - (ii) excavation of piers or foundation material - before placing concrete;
 - (iii) pool excavation - before the installation of a prefabricated pool;
 - (iv) steel reinforcement of any structural concrete -before placing concrete;
 - (v) framework of structure - before lining, cladding or covering is fixed;
 - (vi) stormwater drainage - before covering or backfilling;
 - (vii) wet area flashing - before affixing wall or floor tiles;
 - (viii) pool fencing - before the pool is filled with water ;
 - (ix) completion - before occupation or use.
- (c) Where Council has been engaged to inspect the critical stages of construction, lodge payment for the relevant Inspection Package, individual inspection, reinspection or other fee prior to the issue of any Compliance Certificate or Inspection Report.
- (d) When the CDC relates to residential building work subject to the Home Building Act 1989, submit evidence to Council that the required insurance has been effected or Owner - Builder Permit obtained, prior to commencement of any construction work.
- (e) Ensure that the development is not occupied or otherwise used until such time as Council is satisfied that the development has been completed in accordance with the CDC and has issued an OC.

Complying Development Checklist

General Provisions for all Development under Blacktown Local Environmental Plan 1988

- complies with any deemed - to - satisfy provisions of the Building Code of Australia relevant to the development
- does not result in a total roofed coverage of the land that exceeds 0.66:1
- does not encroach upon any easement or right-of-way
- is not on land that contains threatened species, populations or endangered ecological communities or land that is subject to a recovery plan or threat abatement plan under the Threatened Species Conservation Act 1995 or the Fisheries Management Act 1994
- meets the requirements of the Sydney Water Corporation, including obtaining a certificate of compliance if required
- has had a BASIX Certificate issued in relation to it, if required
- does not contravene any condition of a development consent applying to the land

is not on land that is:

- a critical habitat (within the meaning of the Threatened Species Conservation Act 1995 or the Fisheries Management Act 1994)
- within a wilderness area (within the meaning of the Wilderness Act 1997)
- on which there is an item of environmental heritage to which an order under the Heritage Act 1977 applies or that is identified as such an item in an environmental planning instrument
- identified as an environmentally sensitive area in Blacktown Local Environmental Plan 1988
- dedicated or reserved under the National Parks and Wildlife Act 1974
- dedicated or reserved under the Crown Lands Act 1989 for the preservation of flora, fauna or geological formations or for other environmental protection purposes
- an Aboriginal place, or contains an Aboriginal relic, under the National Parks and Wildlife Act 1974
- subject to an order under the Heritage Act 1977
- identified in an environmental planning instrument as a wetland, or within 20 metres of a wetland
- an aquatic reserve declared under the Fisheries Management Act 1994
- flood liable land
- identified as subject to local overland flooding under Blacktown Development Control Plan 1992
- steeper than 33% slope (to the horizontal) within any building footprint
- within an area identified as being of high archaeological significance under Blacktown Development Control Plan 1992
- identified as a known archaeological site under Blacktown Development Control Plan 1992
- contaminated, within the meaning of the Contaminated Lands Management Act 1997
- subject to subsidence or slip
- within 40 metres of a perennial watercourse identified by a 1:50,000 topographic map held by Land and Property Information NSW
- identified as a riverine scenic area under Sydney Regional Environmental Plan No. 20 - Hawkesbury - Nepean River (No 2 - 1997)
- within an area marked as clause 12(3) or clause 12(4) on the map
- identified as bushfire prone on the council's bushfire prone land map

| Development Type and Standards | Tick if complies | |
|---|-------------------------|--|
| Address of proposed development: | | |
| Awning or Carport (freestanding or attached to another building) | | |
| Within a Residential or Rural zone. | | |
| Ancillary to an existing dwelling. | | |
| On lots minimum 450m ² . | | |
| Maximum overall height 2.7m above adjacent ground level. | | |
| Maximum floor area 40m ² . | | |
| Minimum building line to the front boundary of 6m in a Residential zone or 18m in a Rural zone. | | |
| Minimum building line to any secondary road boundary 3m in a Residential zone or 6m in a Rural zone. | | |
| Each part of the structure being a minimum 900mm from any side or rear property boundary. | | |
| Roofwater drains to street or interallotment drainage system or other existing effective drainage system. | | |
| Maximum roof span 3.5m where relying on another roof structure for support. | | |
| Any vehicular crossing of the footway is located at least 2m clear of any stormwater gully pit and clear of any other utility surface infrastructure located within the road reserve. | | |
| Any vehicular crossing of the footway is not located within 6m of the tangent of the kerb/road shoulder return on a corner allotment. | | |
| Any vehicular driveway (whether constructed or not) has minimum width of 2.5m and the gradient complies with clause 3.5 of AS 2890.1 - 1993, <i>Parking facilities</i> , Part 1: <i>Off-street carparking</i> between the road reserve and the finished floor level of any carport. | | |
| Does not apply to an area previously approved as, or required for, private open space. | | |
| Bed and Breakfast Establishment | | |
| Within a Residential or Rural zone. | | |
| In an existing approved dwelling-house occupied by the permanent residents. | | |
| Maximum 3 guest bedrooms. | | |
| Maximum 6 guests. | | |
| No guest accommodation to include kitchen facilities. | | |
| Not to involve extension, alteration or enlargement of existing dwelling-house. | | |
| Smoke detection/alarm system which complies with the Building Code of Australia is installed. | | |
| Maximum of 1 business identification sign. | | |
| A suitable fire extinguisher and fire blanket are provided in the kitchen. | | |
| Provision of 1 off-street parking space per guest bedroom, for each additional guest bedroom exceeding 1. | | |
| Any vehicular crossing of the footway is located at least 2m clear of any stormwater gully pit and clear of any other utility surface infrastructure. | | |
| Any vehicular crossing of the footway is not located within 6m of the tangent of the kerb return on a corner allotment. | | |
| Dwelling-house Addition (Single Storey Extension), including a habitable screened enclosure | | |
| Within Zone No. 2(a). | | |
| Sewered. | | |
| Floor level maximum 1.2m above adjacent ground level at any point. | | |
| On lots minimum 450m ² . | | |
| Has a minimum building line of 6m to the front boundary. | | |
| Has a minimum building line of 3m to any secondary road boundary. | | |
| Maximum ceiling height of 2.7m and 30 degree roof pitch (in the case of a level ceiling) or 4m (in the case of a raked/cathedral ceiling). | | |
| External walls setback a minimum 900mm from side and rear boundaries. | | |
| Any part of any roof guttering, eave or other roof projection be setback a minimum 675mm from side and rear boundaries. | | |
| Roofwater drains to street or interallotment drainage system or other existing effective drainage system. | | |
| Maximum site cut and fill of 500mm, which is structurally retained and drained. | | |

| | | |
|---|--|--|
| Where a garage or carport is not existing or incorporated in the proposed development, provision for 1 car parking space of 3m x 6m behind the building line setback/s which is accessible by a motor vehicle. | | |
| External materials to complement the existing dwelling-house. | | |
| Any vehicular crossing of the footway is located at least 2m clear of any stormwater gully pit and clear of any other utility surface infrastructure. | | |
| Any vehicular crossing of the footway is not located within 6m of the tangent of the kerb return on a corner allotment. | | |
| The minimum width of any vehicular driveway (whether constructed or not) is 2.5m and the gradient complies with clause 3.5 of AS 2890.1 - 1993, <i>Parking facilities</i> , Part 1: <i>Off-street carparking</i> between the road reserve and the finished floor level of any garage, carport or car parking space. | | |
| Dwelling-house (Single Storey), including attached carports and garages | | |
| Within Zone No. 2(a). | | |
| Sewered. | | |
| Floor level maximum 1.2m above adjacent natural ground level at any point. | | |
| On lots minimum 450m ² . | | |
| Has a minimum building line of 6m to the front boundary. | | |
| Has a minimum building line of 3m to any secondary road boundary. | | |
| Maximum ceiling height of 2.7m and 30 degree roof pitch (in the case of a level ceiling) or 4m (in the case of a raked/cathedral ceiling). | | |
| External walls setback a minimum 900mm from side and rear boundaries. | | |
| Any part of any roof guttering, eave or other roof projection be setback a minimum 675mm from side and rear boundaries. | | |
| Roofwater drains to street or interallotment drainage system or other existing effective drainage system. | | |
| Maximum site cut and fill of 500mm, which is structurally retained and drained. | | |
| Where a garage or carport is not incorporated in the proposed development, provision for 1 car parking space of 3m x 6m behind the building line setback/s which is accessible by a motor vehicle. | | |
| Any vehicular crossing of the footway located at least 2m clear of any stormwater gully pit and clear of any other utility surface infrastructure. | | |
| Any vehicular crossing of the footway not be located within 6m of the tangent of the kerb return on a corner allotment. | | |
| The minimum width of any vehicular driveway (whether constructed or not) is 2.5m and the gradient complies with clause 3.5 of AS 2890.1 - 1993, <i>Parking facilities</i> , Part 1: <i>Off-street carparking</i> between the road reserve and the finished floor level of any garage, carport or car parking space. | | |
| Fire Alarm conversion | | |
| Consists of internal alterations to a building. | | |
| May include the mounting of an antenna, and any support structure, on an external wall or roof of a building so as to occupy a space of not more than 450mm x 100mm x 100mm. | | |
| Garage or shed (freestanding or attached to another building) | | |
| Within a Residential or Rural zone. | | |
| Does not apply to an area previously approved as, or required for, private open space. | | |
| On lots minimum 450m ² . | | |
| Maximum overall height 3m above adjacent ground level. | | |
| Maximum floor area 40m ² in a Residential zone or maximum 100m ² in a Rural zone. | | |
| Minimum building line to the front boundary of 6m in a Residential zone or 18m in a Rural zone. | | |
| Minimum building line to any secondary road boundary of 3m in a Residential zone or 6m in a Rural zone. | | |
| In a Residential zone, each part of the structure being a minimum 900mm from side and rear property boundary. | | |
| In a Rural zone, each part of the structure being a minimum 3m from any side or rear property boundary. | | |
| Roofwater drains to street or interallotment drainage system or other existing effective drainage system. | | |
| Maximum site excavation/cut and/or fill of 500mm, which is structurally retained and drained. | | |
| Any vehicular crossing of the footway is located at least 2m clear of any stormwater gully pit and clear of any other utility surface infrastructure located within the road reserve. | | |
| Any vehicular crossing of the footway is not located within 6m of the tangent of the kerb/road shoulder return on a corner allotment. | | |
| Any vehicular driveway (whether constructed or not) has a minimum width of 2.5m and the gradient complies with clause 3.5 of AS 2890.1 - 1993, <i>Parking facilities</i> , Part 1: <i>Off-street carparking</i> between the road reserve and the finished floor level of any garage. | | |

| Internal Alteration to a Shop or Commercial Premises | | |
|---|--|--|
| Within a Business zone. | | |
| Complies with the construction requirements of Council's Code for Food Premises, where relevant. | | |
| No increase in floor area. | | |
| Does not relate to food shops except those where only pre-packaged food is sold. | | |
| Screened Weather-protected Enclosure (non-habitable) | | |
| Within a Residential or Rural zone. | | |
| On lots minimum 450m ² . | | |
| Maximum floor area 20m ² . | | |
| Has a minimum building line to the front boundary of 6m in Residential zones or 18m in Rural zones. | | |
| Has a minimum building line to any secondary road boundary of 3m in Residential zones or 6m in Rural zones. | | |
| Stormwater drains to street or interallotment drainage system or other existing effective drainage system. | | |
| Maximum site cut and fill of 500mm, which is structurally retained and drained. | | |
| Any opening between the dwelling-house and enclosure is fitted with a solid door or window. | | |
| Maximum length of 4m of one wall may be of solid construction. | | |
| Minimum 50% of the surface area of each remaining wall is unenclosed or consists of translucent or transparent material. | | |
| Maximum overall height 2.7m above adjacent ground level. | | |
| Each part of the structure setback a minimum 900mm from any side or rear property boundary. | | |
| Swimming Pool (not being a portable swimming pool under SEPP (Exempt and Complying Development Codes) 2008) | | |
| Ancillary to existing approved dwelling and for private and non-commercial use only. | | |
| On lots minimum 450m ² . | | |
| Located behind the existing dwelling setback from any road. | | |
| Water line setback minimum 1.5m from side and rear boundaries and any structure on the land. | | |
| Floor level of any coping or decking is maximum 500mm above adjacent ground level. | | |
| Maximum site cut and fill of 500mm, which is structurally retained and drained. | | |
| All adjacent paved areas to be graded and drained away from any adjoining property. | | |
| Pumps, filtration and other equipment to be located so as to comply with the noise requirements of the Protection of the Environment Operations Act 1997. | | |
| Complies with the Swimming Pools Act 1992, the Swimming Pools Regulation 1998 and any applicable Australian Standard. | | |
| An exemption under section 22 of the <i>Swimming Pools Act 1992</i> has been granted in respect of any window, door or similar opening in any wall of any residential building wall relied upon as part of a child-resistant barrier. | | |
| Any existing or proposed child resistant barrier fencing complies with the <i>Swimming Pools Act 1992</i> , the regulations under that Act and any applicable Australian Standard. | | |
| Swimming pool decking | | |
| Located behind the existing dwelling setback from any road. | | |
| Located a minimum 900mm from the child-resistant barrier (including dividing/boundary fences) which complies with the <i>Swimming Pools Act 1992</i> | | |
| Not roofed. | | |
| Maximum area 10m ² (aggregate). | | |
| Floor level maximum 500mm above adjacent ground level. | | |

Applicant Signature: _____ Date: _____

Roads Act 1993

Application for Consent to Open a Public Road

I hereby make an application under the provisions of Section 15 and Section 138 of the *Roads Act 1993* to open public road, as indicated below.

I attach a plan of the proposed work (please refer to the general layout requirements indicated below and the sample plan on the reverse side of this form).

| <u>Owner's Details</u> |
|------------------------|
| Name:-..... |
| Address:-..... |
| |
| Daytime Phone:-..... |
| |

| <u>Applicant's Details</u> |
|----------------------------|
| Name:-..... |
| Address:-..... |
| |
| Daytime Phone:-..... |
| |

| <u>Job Location Details</u> |
|-----------------------------|
| Site Contact Name:-..... |
| Address:-..... |
| |
| Contact No:-..... |

| <u>Purpose of Road Opening</u> |
|--|
| <input type="checkbox"/> Vehicular Crossing |
| <input type="checkbox"/> Roofwater connection |
| <input type="checkbox"/> Stormwater connection |
| <input type="checkbox"/> Utility connection |
| <input type="checkbox"/> Other |

General Layout Requirements

1. Distance from the kerb tangent point to the vehicular crossing to be a minimum of 6 metres.
2. Minimum distance from stormwater inlet pit, tree etc. etc to be a minimum of 1 metre from the edge of the vehicular crossing.
3. Any above ground utility asset e.g. Telstra box, power pole etc in the footway area to have a minimum clearance of 1metre from the edge of vehicular crossing.
4. Vehicular crossing applications near bus shelter, pedestrian refuge, median island, pedestrian crossing, intersections, roundabouts etc. to be individually assessed.
5. Separate application to be submitted to Council for vehicular crossing construction/ road opening permit, prior to commencement of these works.
6. All costs associated with the relocation of any of the above assets/structures will be at the cost of the applicant.

| | |
|--------------------------------|------------------------------------|
| For Office Use Only | Assessing Officer:-..... |
| Date Application Lodged:-..... | Date Application Determined:-..... |

Roads Act 1993
Application For Consent
Sample Plan

