Cumberland Bush Fire Management Committee

Draft

Bush Fire Risk Management Plan

Annex A to Bush Fire Coordinating Committee Policy No. 1/2008 Bush Fire Risk Management

Prepared by the Cumberland Bush Fire Management Committee; pursuant to section 52 of the Rural Fires Act, 1997. In accordance with the Regulations to the Rural Fires Act 1997, the draft bush fire risk management plan will be exhibited for a period of not less than 42 days during which time submissions are invited from the public.

As such, members of the public, whether as private individuals or as members of community interest groups are invited to comment on the plan. Submissions should be in writing, and as detailed and specific as possible; however any comments, no matter how brief or general are welcome. All comments received will be referred to the Bush Fire Coordinating Committee with the plan for their final deliberation and approval.

Prior to finalising the plan, the Bush Fire Management Committee is required to consider the submissions to plan and prepare a review for consideration by the Bush Fire Coordinating Committee. Under the Act, the Bush Fire Coordinating Committee may approve the plan, amend the plan or reject the plan in the light of public submissions.

If significant changes are made to the plan after public exhibition, the draft plan will be placed on further exhibition prior to its final adoption.

The closing date for comments on this plan is: Friday 11 October 2019

Comments should be forwarded to:

Executive Officer

Cumberland Bush Fire Management Committee

8-12 Jeanette Street Regentville NSW 2745

Additional information or enquires on any aspect of the plan can be obtained from Cumberland Fire Control Centre or by telephoning 4734 7777.

Table of Contents

Glossary	7
Chapter 1. Introduction	9
1.1 Background	9
1.2 Aim and Objectives	9
1.3 Description of the Cumberland BFMC Area 1.3.1 Location and land tenure 1.3.2 Climate and bush fire season 1.3.3 Population and demographic information 1.3.4 History of bush fire frequency and ignition cause	10 10 10 10 10
Chapter 2. Identifying and Assessing the Bush Fire Risk	12
2.1 Process	12
2.2 Communication and Consultation	12
2.3 Identifying the Bush Fire Risk 2.3.1 Assets 2.3.2 Assessing the Bush Fire Risk - Consequence 2.3.3 Assessing the Bush Fire Risk - Likelihood 2.3.4 Identifying the level of risk 2.3.5 Evaluating the Bush Fire Risk 2.3.6 Prioritising Treatments 2.3.7 Risk Acceptability	14 14 15 16 16 16 16
Chapter 3. Treating the Risk	17
3.1 Bush Fire Management Zones	17
3.2 BFMC Wide Treatments	19
3.3 Asset Specific Treatments	20
3.4 Fire Thresholds	21
3.5 Annual Works Programs	22
3.6 Implementation	23
Chapter 4. Performance Monitoring and Reviewing	24
4.1 Review	24
4.2 Monitoring	24
4.3 Reporting	24
4.4 Performance Measurements	24
Appendix 1 Community Participation Strategy	25
Appendix 2 Asset Register	25
Appendix 3 Treatment Register	25
Appendix Maps	25

List of Tables

Table 1.1 Land Tenure	Error! Bookmark not defined.
Table 3.1 Bush Fire Management Zones: Purpose, objectives and characteristics	18
Table 3.2 Asset specific treatments used in the Cumberland BFMC area	21
Table 3.3 Fire Thresholds for Vegetation Categories	22
<u>List of Figures</u>	
Figure 2.1 Overview of the risk assessment process	12



Authorisation

In accordance with Part 3 Division 4 of the Rural Fires Act 1997, this Draft Plan has been prepared by the Cumberland Bush Fire Management Committee and has been endorsed at the BFMC meeting on date-scripts.org/ for submission to the Bush Fire Coordinating Committee.

Recommended

Group Captain Glen McCartney
Acting Chairperson
Cumberland Bush Fire Management Committee

Approved

On behalf of the NSW Bush Fire Coordinating Committee

Amendment List

Amendment		Entered		
Number	Date	Signature	Date	



Annex A to Bush Fire Coordinating Committee Policy No. 1/2008 Bush Fire Risk Management

Glossary

Assets: anything valued by the community which includes houses, crops, heritage buildings and places, infrastructure, the environment, businesses, and forests, that may be at risk from bush fire.

Bush Fire: a general term used to describe fire in vegetation, includes grass fire.

Bush Fire Hazard: the potential severity of a bush fire, which is determined by fuel load, fuel arrangement and topography under a given climatic condition.

Bush Fire Risk: the chance of a bush fire igniting, spreading and causing damage to the community or the assets they value.

Bush Fire Risk Management: a systematic process that provides a range of treatments which contribute to the well-being of communities and the environment, which suffer the adverse effects of wildfire/bush fire.

Bush Fire Threat: potential bush fire exposure of an asset due to the proximity and type of a hazard and the slope on which the hazard is situated.

Consequence: outcome or impact of a bush fire event.

Fire Fighting Authorities: the NSW Rural Fire Service, NSW Fire Brigades, the National Parks and Wildlife Service and Forests NSW.

Likelihood: the chance of a bush fire igniting and spreading.

Major Bush Fire: A bush fire which requires the attendance of multiple brigades, or causes damage to property or injury to one or more persons.

Display area: geographic area determined by the Bush Fire Management Committee which is used to provide a suitable area and scale for community participation and mapping display purposes.

Recovery costs: the capacity of an asset to recover from the impacts of a bush fire.

Risk Acceptance: an informed decision to accept the consequences and the likelihood of a particular risk.

Risk Analysis: a systematic process to understand the nature of and to deduce the level of risk.

Risk Assessment: the overall process of risk identification, risk analysis and risk evaluation.

Risk Identification: the process of determining what, where, when, why, and how something could happen.

Risk Treatment: the process of selection and implementation of measures to modify risk.

Vulnerability: the susceptibility of an asset to the impacts of bush fire.



Chapter 1. Introduction

1.1 Background

Under the *Rural Fires Act 1997* the Bush Fire Coordinating Committee (BFCC) must constitute a Bush Fire Management Committee (BFMC) for each area in the State, which is subject to the risk of bush fires. Each BFMC is required to prepare and submit to the BFCC a draft Bush Fire Risk Management Plan (BFRMP).

A BFRMP is a strategic document that identifies community assets at risk and sets out a five-year program of coordinated multi-agency treatments to reduce the risk of bush fire to the assets. Treatments may include such things as hazard reduction burning, grazing, community education, fire trail maintenance and establishing community fireguard groups.

Annual programs to implement the treatments identified in this plan will be undertaken by the relevant land managers and firefighting authorities.

In exercising its functions under the *Rural Fires Act 1997*, including the preparation of a draft bush fire risk management plan, the Cumberland BFMC is required to have regard to the principles of ecologically sustainable development (ESD).

This document and the accompanying maps together form the BFRMP for the Cumberland BFMC area.

This BFRMP has been prepared by the Cumberland BFMC and covers both public and private lands. This BFRMP must be reviewed and updated within each successive five-year period from the constitution of the BFMC.

The BFCC recognises that climate change has the potential to increase bush fire risk. The risk assessment process applied in this BFRMP is based on current climatic conditions. The BFCC will monitor information on climate change and will modify the process when necessary.

1.2 Aim and Objectives

The **aim** of this BFRMP is to minimise the risk of adverse impact of bush fires on life, property and the environment.

The **objectives** of this BFRMP are to:

- reduce the number of human-induced bush fire ignitions that cause damage to life, property and the environment;
- manage fuel to reduce the rate of spread and intensity of bush fires, while minimising environmental/ecological impacts;
- reduce the community's vulnerability to bush fires by improving its preparedness; and
- effectively contain fires with a potential to cause damage to life, property and the environment.

1.3 Description of the Cumberland BFMC Area

1.3.1 Location and land tenure

The Cumberland BFMC area is located in Western Sydney, New South Wales and includes the Local Government Area/s of Penrith, Blacktown and Fairfield.

The area covered by the Cumberland BFMC is 75380 hectares and includes the main land tenures of National Parks and Wildlife Services, Local Government Authorities, Department of Industry – Land and Water, Water NSW, Sydney Water and Department of Defence.

1.3.2 Climate and bush fire season

The typical climate in the Cumberland Zone BFMC area is warm temperate experiencing warm to hot summers and cool to mild winters with predominately summer/autumn rainfall and dry winter and spring. The bushfire season generally runs from October to March, and may occasionally be brought forward due to dry winter conditions.

Prevailing weather conditions associated with the bush fire season in the Cumberland BFMC area are a dry winter with increased winds transitioning into spring, providing potential fire conditions for the grasslands. North-westerly winds accompanied by high temperatures and low relative humidity providing weather conditions conducive with large spreading bush fires during the bushfire danger period.

1.3.3 Population and demographic information

The population of the Cumberland BFMC area is approximately 736 000 people (Census 2016). The major population centres are (Penrith: 200,000; Blacktown: 337,000; Fairfield: 199,000).

Penrith LGA: A large population increase is identified within the urban sprawl, with large developments occurring to the North, East and South of Penrith. A combination of dense residential and open rural residential living exists in the LGA.

Blacktown LGA: A dense residential area is identified in the centre of the LGA, with a combination of commercial and industrial zoning also identified. Blacktown has a large population with diversity in ethnic and cultural backgrounds, presenting a large number of non-English speaking communities.

Fairfield LGA: A combination of residential and rural residential zoning exists in Fairfield LGA. A large diverse population of non-English speaking backgrounds and cultures is identified in this LGA.

All LGAs experience high traffic volumes during peak hours, with major arterials and localised traffic conditions experiencing heavy traffic flows.

1.3.4 History of bush fire frequency and ignition cause

The Cumberland BFMC area has on average bush fires per year, of which one (1) on average can be considered to be major fires.

The main sources of ignition in the Cumberland BFMC area are:

- **Illegal Burning**: Primarily located within the rural residential areas of all 3 LGAs, with burning failing to comply with local regulations. This is identified more through North Penrith LGA and Fairfield LGA.
- **Arson**: Car dumping has been known to occur in the Londonderry and Castlereagh brigade areas. Grass and Bushland ignitions occur throughout Glenmore Park, Wilmot/Bidwell and Ropes Crossing.
- **Lightning**: Strom activity during the warmer months has contributed to a number of ignitions throughout the Zone, with a concentration on the Southern parts of Penrith LGA.



Chapter 2. Identifying and Assessing the Bush Fire Risk

2.1 Process

The International Standard for Risk Management *AS/NZS ISO 31000:2018* was used as the basis for the risk assessment process. See Figure 2.1 for the steps involved. For a detailed description of the process undertaken see the International Standard ISO 31000:2018. Additional information is available in the Bush Fire Risk Management Planning Guidelines for Bush Fire Management Committees on the RFS website: www.rfs.nsw.gov.au.




Figure 2.1 Overview of the risk assessment process (Source: SAI Global – International Standard ISO 31000:2018)

2.2 Communication and Consultation

Community participation is an integral part of risk management. The Community Participation Strategy involved developing and implementing a process to address the needs, issues and concerns of stakeholders within the BFMC area in regards to the BFRMP.

See Appendix 1 for the Community Participation Strategy used by the Cumberland BFMC in preparing this BFRMP.



2.3 Identifying the Bush Fire Risk

Identifying the level of bush fire risk firstly involved identifying important community assets considered to be at risk from bush fire in the Cumberland BFMC area, and then assessing the likelihood and consequence ratings.

2.3.1 Assets

BFMC members and the community, including RFS volunteers, identified assets within the Cumberland BFMC that they believed were at risk of bush fire.

The assets were divided into four asset types:

Human settlement

- Residential areas including urban bushland interface areas and rural properties;
- Special Fire Protection areas including schools, hospitals, nursing homes, and tourist facilities; and
- Other human settlement areas including commercial and industrial areas where distinct from major towns.
- Neighbourhood Safer Place (NSP) is defined by the Rural Fires Act 1997 as land or a building designated as a neighbourhood safer place under section 62C. NSPs provide a place of last resort for people during a bush fire. All designated NSP locations for NSW are available at www.rfs.nsw.gov.au.

Economic

- Agricultural; e.g. major silos, regional saleyards, cropping/grazing land;
- Commercial/industrial e.g. major industries, waste treatment plants, sawmills;
- Infrastructure e.g. large power lines, gas and oil pipelines, railway lines, electricity substations, communication facilities;
- Tourist and recreational e.g. tourist sites and facilities, resorts, retreats;
- Mines:
- Commercial forests e.g. pine plantations, eucalypt plantations and commercial native forests; and
- Drinking water catchments.

Environmental

- Threatened species, populations and ecological communities and Ramsar wetlands;
- Locally important species and ecological communities, such as species and ecological communities especially sensitive to fire.

Cultural

- Aboriginal significance Aboriginal places and items of significance;
- Non-indigenous heritage places and items arising from the early occupation of NSW by European or other non-indigenous settlers; and
- Other cultural assets community halls, clubs and recreational facilities.

See Appendix 2 for the full list of assets identified in the Cumberland BFMC area. See maps *Appendix 4* for the location of assets to be treated under this BFRMP.

2.3.2 Assessing the Bush Fire Risk - Consequence

Once the assets were identified, the consequence of a bush fire impacting on these assets was assessed.

See Appendix 2 for the consequence ratings assigned to each asset identified in the Cumberland BFMC area.

The different asset types had different assessment processes used to determine the consequence. These processes are identified below.

Human settlement

A potential fire behaviour model using vegetation type, slope and separation distance was used to produce a threat rating for human settlement assets. The vulnerability of the asset to a bush fire was also assessed and a rating assigned. These ratings were then used to assess the consequence of a bush fire impacting upon a human settlement asset.

Special Fire Protection (SFP) assets were considered inherently more vulnerable to bush fire due to mobility capacity, knowledge or other issues relating to their inhabitants, (e.g. the elderly, infirm, children or tourists) and therefore stricter requirements for vulnerability assessment and rating were applied. Due to circumstances surrounding NSPs and their use during a bush fire, stricter requirements for vulnerability assessment and rating will also apply to these assets.

Economic

The level of economic impact e.g. local, regional or state, as well as the economic recovery costs (how long and complicated a financial recovery will be) of the asset were identified. These ratings were used to assess the consequence of a bush fire impacting upon an economic asset.

Environmental

Environmental assets with known minimum fire threshold were assessed to determine if they were at risk of a bush fire within the 5 year life of the BFRMP using fire history data. Those environmental assets which were within or above the fire threshold were not assessed in the BFRMP, as the negative impact of a fire within the 5 year period was determined as being low and may even be of benefit to the asset and surrounding habitat.

Annex A to Bush Fire Coordinating Committee Policy No. 1/2008 Bush Fire Risk Management

The vulnerability of an environmental asset was determined by its conservation status and its geographic extent (distribution across the landscape). Vulnerability and potential impact of bush fire were used to assess the consequence of a bush fire impacting upon an environmental asset.

Cultural

For non-indigenous historical, Aboriginal and other cultural assets a potential fire behaviour model using fuel load, slope and proximity was used to produce a threat rating. The physical vulnerability of the asset to a bush fire was also assessed. These ratings were then used to assess the consequence of a bush fire impacting upon a cultural asset.

2.3.3 Assessing the Bush Fire Risk - Likelihood

For all asset types the likelihood of a bush fire occurring was assessed. This involves considering fire history, including ignition cause and patterns, known fire paths, access, containment potential and potential fire run (size of the vegetated area). See Appendix 2 for the likelihood ratings assigned to each asset identified in the Cumberland BFMC area.

2.3.4 Identifying the level of risk

The consequence and likelihood ratings were then used to identify the level of risk. See Appendix 2 for the risk ratings assigned to each asset identified in the Cumberland BFMC area.

2.3.5 Evaluating the Bush Fire Risk

Once the risk ratings for each asset were identified, they were evaluated to:

- a) confirm that risk levels identified in the risk analysis process are appropriate and reflect the relative seriousness of the bush fire risk;
- b) identify which assets require treatments; and
- c) identify treatment priorities.

2.3.6 Prioritising Treatments

No organisation has limitless resources to deal with adverse risk. It is therefore necessary to define priorities. The bush fire risk ratings determined were used to prioritise the risk treatments, i.e. areas of extreme risk were considered first for treatment, then very high, then high then medium then low. It was also necessary to prioritise within the risk levels i.e. determining which of the high risks was the most serious. This was done on the basis of the consequence and likelihood ratings.

2.3.7 Risk Acceptability

Risks below a certain level were assessed as not requiring treatment within the life of this plan. This is due to a combination of ongoing works through plans of management, *risk* priority and capacity to undertake the works. Within the Cumberland BFMC area the level of acceptability is *high*. Areas of *medium* or *low* risk are likely to be managed by routine procedures and so do not require a specific application of resources.

All NSPs for a BFMC area will require ongoing treatment by the applicable land owner to ensure that the asset remains viable as a place of last resort for people during a bush fire. Therefore, all NSP assets are allocated specific treatments in this Plan, regardless of the level of bush fire risk identified and the risk acceptability nominated by the Cumberland BFMC.

Chapter 3. Treating the Risk

3.1 Bush Fire Management Zones

Bush Fire Management Zones were identified within the Cumberland BFMC area and mapped (see maps appendix 4). These zones identify the fire management intent for a specific area. See Table 3.1 for descriptions of the zones and their purposes. The four categories of Bush Fire Management Zones are:

- Asset Protection Zone (APZ);
- Strategic Fire Advantage Zone (SFAZ);
- Land Management Zone (LMZ); and
- Fire Exclusion Zone (FEZ).

Some of these zones (usually Land Management Zones) may be further classified within this category by the land manager, e.g. LMZ -Heritage Management Zone (NPWS).

LMZs that have been identified as a polygon on the map will have defined management objectives.

Zone	Purpose	Suppression Objective(s)	Zone characteristics
Asset Protection Zone	To protect human life, property and highly valued public assets and values.	To enable the safe use of Direct Attack suppression strategies within the zone. To minimise bush fire impacts on undefended assets.	As per RFS document Standards for Asset Protection Zones.
Strategic Fire Advantage Zone	To provide strategic areas of fire protection advantage which will reduce the speed and intensity of bush fires, and reduce the potential for spot fire development; To aid containment of wildfires to existing management boundaries.	To improve the likelihood and safe use of: Parallel Attack suppression strategies within the zone. and/or Indirect Attack (back burning) in high to very high fire weather conditions within the zone. To reduce the likelihood of: Crown fire development within the zone. and/or Spot fire ignition potential from the zone	Zone width related to suppression objectives and dependent upon: Topography Aspect Spotting propensity Location of adjacent firebreaks Mosaic pattern of treatment Assess Overall Fuel Hazard (OFH) once vegetation communities reach minimum fire thresholds within this plan. Management practices should aim to achieve mosaic fuel reduction patterns so that the majority of the SFAZ has an OFH of less than high.
Land Management Zone	To meet relevant land management objectives in areas where APZs or SFAZs are not appropriate.	As per the land management and fire protection objectives of the responsible land management agency. To reduce the likelihood of spread of fires. To undertake mosaic burning	As appropriate to achieve land management e.g. heritage and/or fire protection e.g. broad scale mosaic burning objectives.
Fire Exclusion Zone	To exclude bush fires.	N/A	Variable dependant on size of fire sensitive area requiring protection.

Table 3.1 Bush Fire Management Zones: Purpose, objectives and characteristics

NB: OFH refers the Overall Fuel Hazard Guide as described in the document published by (Dept. of Sustainability and Environment 3rd ed. 1999 & NPWS version); State-wide procedures for assessment of fuel hazard will be developed in conjunction with the BFCC.

Note: All areas that are not mapped or described as APZs or SFAZs are considered as LMZs.

^{*}For the purpose of the Bush Fire Environmental Assessment Code:

Annex A to Bush Fire Coordinating Committee Policy No. 1/2008 Bush Fire Risk Management

- Plantations that are approved under the Plantations & Reafforestation Act 1999 after closure of the public exhibition period for this BFRMP are considered to be identified in this BFRMP; and
- Retained vegetation within the aforementioned plantations is considered to be a Strategic Fire Advantage Zone identified in the text of this BFRMP as long as it meets the suppression objectives for SFAZs included in the BFRMP, and is not mapped or otherwise described as a Fire Exclusion Zone in the BFRMP.

*Delete this section if it is not relevant to your BFMC area i.e. if you do not have plantations.

3.2 BFMC Wide Treatments

BFMC wide treatments are activities which reduce the overall bush fire risk within the BFMC area and are undertaken on an ongoing basis as part of normal business. These treatments are not linked to specific assets in the BFRMP, rather they are applied across all or part of the BFMC area as designated by legislation or agency policy. BFMC wide treatments include the following:

Reviewing the bush fire prone land map

These maps identify bush fire prone land and are used to trigger whether a development application is assessed using *Planning for Bush Fire Protection*¹.

• Ensuring developments in bush fire prone land comply with *Planning for Bush Fire Protection*

This assessment process requires new applications for development to include bush fire protection measures.

 Using the Local Environment Plan/s (LEPs) to control developments in areas with a bush fire risk

LEPs can be used to exclude development in extreme bush fire risk areas or where bush fire protection measures cannot be incorporated.

Varying the standard bush fire danger period as required

In years where the weather is particularly adverse the bush fire danger period may be brought in early or extended. This is assessed every year by the BFMC.

Requiring permits during the bush fire danger period

In the bush fire danger period a fire safety permit is required to light a fire in the open. Permits specify conditions such as firefighting equipment that must be on site, or restrict burns based on weather conditions.

¹ NSW Rural Fire Service 2006 Planning for Bush Fire Protection: A guide for councils, planners, fire authorities and developers.

Prosecution of arsonists/offenders

Under the *Rural Fires Act 1997* persons may be prosecuted for breaching the conditions on a fire permit, lighting a fire during a Total Fire Ban, allowing fire to escape their property, or other breaches of the Act.

Investigation of bush fire cause

All bush fires which do not have a known cause are investigated to identify how they started.

Normal fire suppression activities

Responding to bush fire is a normal business activity for the firefighting authorities.

Assessing and managing compliance with strategic firefighting resource allocation provisions

Strategic firefighting resource allocation provisions is the process used to identify the number of stations, brigades and appliances required in an area, and considers members, training, assets and hazards.

Preparation of a S52 Operations Coordination Plan

The Operations Coordination Plan is prepared biannually and sets out how coordinated firefighting will occur. It includes specific operational restrictions on firefighting techniques in certain areas, where fires will be managed from, and how agencies involved can communicate during operations.

• Fire Management Plans or Plans of Management

Some land management agencies have developed fire management plans or plans of management with specific fire or fuel management strategies, for example a Forests NSW Regional Fuel Management Risk Plan, a NPWS Fire Management Strategy. These publicly exhibited plans form the basis for operational fire planning on public parks, reserves and forests.

Bush Fire Hazard Complaints

If someone is concerned about possible bush fire hazards on a neighbouring property or any other land, then this can be reported to the RFS Commissioner or their local RFS Fire Control Centre. The complaint will be investigated and may result in a notice being issued to the landowner or manager to reduce the hazard.

3.3 Asset Specific Treatments

There are *five* broad strategy groups available to treat the bush fire risk to assets identified in the BFRMP.

The types of asset specific treatments in each strategy group used in the Cumberland BFMC area are listed below. A full list of the treatment strategies in the Cumberland BFMC area are in Appendix 3.

Strategy	Targeted treatments used in the Cumberland BFMC area
Ignition Management	Implement the Cumberland Ignition Prevention Strategy to target high risk locations for the appropriate operational readiness level.
Hazard Reduction	Establish and inspect APZs in accordance with the standards for asset protection zones. Maintain APZs in accordance with agency maintenance schedule.
Community Education	Implement Cumberland Community Engagement Strategy to target vulnerable and at risk communities.
Property Planning	Develop and implement a Bushfire Management Plan.
Preparedness	

Table 3.2 Asset specific treatments used in the Cumberland BFMC area

3.4 Fire Thresholds

The vegetation in the Cumberland BFMC area was classified into fire threshold categories (Table 3.3*).

Vegetation formation	Minimum SFAZ Threshold	Minimum LMZ Threshold	Maximum Threshold	Notes
Rainforest	NA	NA	NA	Fire should be avoided.
Alpine complex	NA	NA	NA	Fire should be avoided.
Wet Sclerophyll forest (shrubby sub formation)	25	30	60	Crown fires should be avoided in the lower end of the interval range.
Wet Sclerophyll forest (grassy sub formation)	10	15	50	Crown fires should be avoided in the lower end of the interval range.
Grassy woodland	5	8	40	Minimum interval of 10 years should apply in the southern Tablelands area. Occasional intervals greater than 15 years may be desirable.
Grassland	2	3	10	Occasional intervals greater than 7 years should be included in coastal areas. There was insufficient data to give a maximum interval; available evidence indicates maximum intervals should be approximately 10 years.
Dry sclerophyll forest (shrub/grass sub formation)	5	8	50	Occasional intervals greater than 25 years may be desirable.
Dry sclerophyll forest (shrub sub formation)	7	10	30	Occasional intervals greater than 25 years may be desirable.
Heathlands	7	10	30	Occasional intervals greater than 20 years may be desirable.
Freshwater wetlands	6	10	35	Occasional intervals greater than 30 years may be desirable.
Forested wetlands	7	10	35	Some intervals greater than 20 years may be desirable.
Saline wetlands	NA	NA	NA	Fire should be avoided.
Semi-arid woodlands (grassy sub formation)	6	9	No max	Not enough data for a maximum fire interval.
Semi-arid woodlands (shrubby sub formation)	10	15	No Max	Not enough data for a maximum fire interval.
Arid shrub lands (chenopod sub formation	NA	NA	NA	Fire should be avoided.
Arid shrub lands (acacia sub formation)	10	15	No Max	Not enough data for a maximum fire interval.

Table 3.3 Fire Thresholds for Vegetation Categories

3.5 Annual Works Programs

The land management agencies and firefighting authorities responsible for implementing the treatments identified in this plan will include those treatments in their annual works programs detailing how, when, and where the required activities will be undertaken.

3.6 Implementation

When the treatments identified in this BFRMP are implemented there are a number of issues that need to be considered by the responsible agency including environmental assessments and approvals, smoke management and prescribed burn plans.

*Local permit issuing/hazard reduction burning exclusion periods

The local government areas of Blacktown and Fairfield are no burn areas all year round.

In the Penrith local government area pile burning is permitted outside of the bushfire danger period, in accordance with the notice of conditions for approval to burn and in accordance with the Protection Environment (clean air) regulation 2002. Permits are required for burning during bushfire danger period.

In areas gazetted as Fire district, permitted are required all year round.



Chapter 4. Performance Monitoring and Reviewing

4.1 Review

This BFRMP must be reviewed and updated within each successive five-year period from the constitution of the BFMC. The Cumberland BFMC will also review this plan as necessary to account for any changes in context or risk. This may be triggered by a range of circumstances, including but not limited to:

- changes to the BFMC area, organisational responsibilities or legislation;
- changes to the bush fire risk in the area; or
- following a major fire event.

4.2 Monitoring

The BFMC is required to monitor progress towards the completion of treatment works listed in the BFRMP, and the timeliness of the works.

4.3 Reporting

The BFMC is required to report annually to the BFCC on its progress in implementing the bush fire risk management activities identified in this plan.

4.4 Performance Measurements

State wide performance measurements which are linked to the BFRMP have been identified by the BFCC. All BFMCs must use these to monitor and report on their success in reducing the bush fire risk in their BFMC area.

Appendices

Appendix 1 Community Participation Strategy

Appendix 2 Asset Register

Appendix 3 Treatment Register

Appendix 4 Maps

- 1 North West
- 2 South West
- 3 South East
- 4 North East



APPENDIX 1

Cumberland Zone Bush Fire Risk Management Review Community Participation Strategy

Date	Target Audience	Method of Communication	Method of Notification	Key Message / Purpose	Resources Required	Responsibility
July - October 2019	General Community Display Areas at: Blacktown City Council Penrith City Council Fairfield City Council NSW RFS Regentville FRNSW Huntingwood	Newspaper article Council Facebook Pages Display at Council Offices, NSW RFS Cumberland (Fire Control Centre) and FRNSW Huntingwood (Zone Office)	Newspaper Council and agency social media platforms Council websites	 Introduce BFRMP Community issues raised Assets identified Asset assessed & options Community responsibilities 	Venue Media Article Maps Draft BFRMP	Councils / NSW RFS / FRNSW
14/09/2019	General Community	Community Participation Event Get Ready Day Orchard Hills RFB station	Facebook Pages	 Introduce BFRMP Community issues raised Assets identified Asset assessed & options Community responsibilities 	Room Media Article BFMC Reps Maps DRAFT BFRMP	NSW RFS – Scope for inclusion of NPWS / FRNSW / PCC if available. Further discussion required.

					Electronic media	
May - Nov 2019	Land Manager Representatives	BFMC Workshops	Email / Memo	Local knowledge Risk Assessment of identified assets Management Zones	Room, Electronic Media Maps, Documents	NSW RFS
July - October 2019	RFS Group Captains and RFS Captains	Presentation	Memorandum	Local knowledge / role & purpose	Room, Electronic Media, DRAFT BFRMP, Maps, Documents	NSW RFS
July - October 2019	Wider community. Display areas at: WSP Ranger Stations	Display	Social media platforms Website Newspaper	 Introduce BFRMP Community issues raised Assets identified Asset assessed & options Community responsibilities 	Media Article BFMC Reps Maps DRAFT BFRMP Electronic media	WSP
7 September 2019	Wider Community at Food Fest	Display / Kiosk	Newspaper Website Social media platforms	 Introduce BFRMP Community issues raised Assets identified Asset assessed & options Community responsibilities 	Media Article BFMC Reps Maps DRAFT BFRMP Electronic media	NSW RFS / FRNSW / BCC / WSP

